SUBJECT INDEX

Algae, *Calothrix scopulorum*, 475–88, 701–16
coccolithophorids, 1–16
diatoms, 117–20
Halosphaera parkerae, n.sp., 129–39
Laminaria digitata, 225–43
L. hyperborea, 455–73
L. ochroleuca, 175–87
Phaeodactylum, 439–46
phytoplankton, 97–116, 1047–56
Ptychodiscus, 781–4
Saccorhiza polyschides, 1025–45
zooxanthellae, 1057–65
Amino acids, of diatoms, 117–20
Amphipods, sand-living, 1003–24
new to Britain, 1011
Anemonia, symbiosis with zooxanthellae, 1057–65
Antarctic, primary production in inshore area, 393–405
Argentina sphyraena, age, growth and mortality, 407–31
distribution and variation, 189–208
reproduction and feeding, 785–803

Behaviour, elasmobranchs, 924–6
Nereis fucata, 634
Torpedo, 623
Biochemistry, 97–116, 117–120, 161–73, 209–23, 767–79, 1047–56
Bioluminescence, in scattering layers, 669–82
Blue-green algae, release of nitrogen compounds, 475–88, 701–16
Breeding, *Argentina*, 785–803
Cucumaria elongata, 151–9
Gobius ephippiatus, 842–3
Leptomysis, 379–89
Mytilus, 170
Pseudocalanus, 743–7
Spirorbis borealis, 141–50
Buoyancy, of *Torpedo*, 623

Calcium in cod blood plasma, 940
Carotenoids in *Idotea*, 771
Cephalopods from Canary Islands area, 961–76
Coccolithophorids, microanatomy, 1–16
Coelenterata, *Anemonia sulcata*, 1057–65
Commensalism, 121–7
Community organization, 544–51
Copper, influence on zinc absorption by *Laminaria*, 235–8
concentration in *Laminaria*, 238–40
Crenimugil labrosus, age and growth, 683–99
Crustacea, Amphipoda, 1003–24
Calanus, 977–1001
choniostomatid copepods, 391
Erythrops, 391
hermit-crabs, 121–7
Idotea metallica, 767–79
Leptomysis, 379–89
Mytilicola, 161–73
Ostracoda, 515–53
Palaemon serratus, 77–96
Pseudocalanus elongatus, 743–7
Thysanoessa raschi, 245–58
Cucumaria elongata, larval development, 151–9
Culture, of *Pseudocalanus*, 743–7

Density of elasmobranchs, 913–37
Depth, distribution of ostracods, 515–53
telemeter, 609
Diatoms, component amino acids, 117–20
Digestion, in *Malacobdella*, 17–32
Dogfish, co-ordination of rhythmical fin movements, 357–425
density, 913–37
spinal nerves, 51–75
spontaneous rhythms in motoneurons, 33–49

Echinodermata, *Cucumaria*, 151–9
Echinus, 857–77
Echinus, calcite skeleton of spines, 857–77
Ecology, amphipods, 1003–24
Gobius ephippiatus, 842–3
Laminaria ochroleuca, 175–87
Patella, 291–304
polychaetes, 311–26
Saccorhiza, 1025–45
Egg-chain formation in *Spirorbis*, 141–50
Electric rays, buoyancy and swimming, 621–40
Energy-conversion efficiency of *Palaemon* larvae, 77–96
Enzyme-inhibitor in cod etc., 447–53
Enzymes in *Echinus* spines, 859, 866–7
Eubranchus, systematics of European species, 879–912
Excretion of nitrogen and phosphorus by *Calanus*, 977–1001

Extracellular products of blue-green algae, 475–88

Fatty acids of phytoplankton, 97–116
Feeding, *Palaemon* larvae, 77–96
Scrobicularia, 805–23
Feeding efficiency of *Calanus*, 977–1001
Fish, abundance of young, 305–10
Argentina sphyraena, 189–208, 407–31, 785–803
bass, 209–23
Blennius pholis, 433–8
cod, 209–23, 447–53, 939–44
Crenimugil labrosus, 638–99
elasmobranch densities, 913–37
Gobius ephippiatus (= *G. forsteri*), 831–57
herring, 641–59
mackerel, 209–23
megrim, 447–53
mullet, 447–53, 638–99
physiology, 33–49, 51–75
pilchard, 557–75
plaice, 209–23
Scyliorhinus, 33–49, 51–75, 357–425
sprat, 652
structure of myomeres, 263–90
Torpedo spp., 621–40
Food, of *Argentina*, 793–7
effect on settlement of oysters, 334
of *Gobius ephippiatus*, 842–3
of *Leptomysis*, 383
for rearing pilchard larvae, 568
reserves, of *Malacobdella*, 17–32

Gadus morhua, effect of oestradiol, 939–44
Geographical distribution, *Argentina sphyraena*, 189–208
Gobius ephippiatus, 840–2, 853–5
Laminaria ochroleuca, 175–9
Glucose phosphate isomerase inhibitor in fish, 447–53
Gobius ephippiatus, systematics and biology, 816–57
Gregariousness, oyster larvae, 327–56
Grey mullet, age and growth in Irish waters, 683–99
Growth of *Argentina sphyraena*, 407–31
Crenimugil labrosus, 683–99
Laminaria, 178–83, 227–34
Palaemon larvae, 77–96
Phaeodactylum, 439–46
pilchard larvae, 571
Growth disturbance in *Nucella*, 1074
Growth efficiency of zooplankton, 994–5

Halosphaera, new species, 129–39
Hatching of pilchard eggs, 560
Hermit-crabs, 121–7
Hirudinea, 433–8
Histochemistry, *Echinus* spines, 859, 865
Malacobdella, 17–32
Spirorbis, 141–50

Idotea metallica, pigments, 767–79
Irish Sea, amphipods of sand, 1003–24
silicate concentrations, 577–88
Iron, and growth of *Phaeodactylum*, 439–46
metabolism in *Mytilus*, 661–8
Isaacs–Kidd midwater trawl, 604

Lactate dehydrogenase in fish liver and blood, 209–23
Lactate metabolism of fish, 209–23
Laminaria, zinc absorption, 225–43
hyperborea, growth of early stages, 455–73
ochroleuca, distribution and ecology, 175–87
Larvae, *Cucumaria*, 151–9
nematodes, 643, 651
Ostrea edulis, 327–56
Palaemon, 77–96
pilchard, 557–75
Leopard-spotted goby, 816–57
Leptomysis, life history, 379–89
Light effect on *Calothrix*, 477; growth of *Laminaria*, 185, 456–60; settlement of oysters, 330
flash stimulation of luminescence, 245–58
Lipids of phytoplankton, 97–116
Liver of elasmobranchs, oil content, 917–21
Luminescence, 245–58, 669–82

Malacobdella, nutrition, 17–32
Manganese, concentration in *Laminaria*, 238–40
effect on growth of *Phaeodactylum*, 439–46
Metamorphosis, *Palaemon*, 77–96
Methods, analysis of silicate, 589–601
catch-dividing bucket for mid-water trawl, 607
ecology of deep-scattering layers, 489–514
new mid-water trawl, 945–60
observation of spontaneous luminescence, 670
sampling pelagic fauna, 603–20
release gear for closing net, 959
Mollusca, Cephalopoda, 961
Eubranchus spp., 879–912
Mytilus edulis, 161–73, 661–8
Nucella lapillus, 1067–92
Ostrea edulis, 327–56
Patella, 291–304
Scrobicularia plana, 805–23
Morphology of *Saccorhiza*, 1025–45

Muscle, orientation of fibres in myomeres of fishes, 263–90
Mytilicola, effect on biochemistry of mussels, 161–73
Mytilus, uptake of iron, 661–8

Nematoda, parasites of herring, 641–59
Nereis fucata, host adoption, 121–7
Neurosecretion in *Mytilus*, 171
Nitrogen, fixation and liberation by blue-green alga, 475–88, 701–16
  intake and excretion by *Calanus*, 977–1001
  organic compounds taken up by algae etc., 701–16
  adsorption on inorganic surfaces, 711
Nucella, ecology after 'detergent' treatment, 1067–92
Nudibranchs, 879
Nutrients in Tamar Estuary, 749–65
Nutrition of *Calanus*, 977–1001

Oceanobdella blennii, life history and occurrence, 433–8
Oestradiol, calcium and vitamin A aldehyde in cod, 939–44
Oil, in elasmobranch livers, 624, 917–21
Oil-spill removers, after-effects on shore, 1025–45
Ommochrome in *Idotea*, 771
Ostracoda, ecology, 515–53
Oyster-extract, effect on settlement of larvae, 340–53

Palaemon, feeding and growth of larvae, 77–96
Parasites of blenny, 433–8
  Erythrops, 391
  herring, 641–59
  sprat, 641–59
Patella, effect of desiccation, 291–304
Pelagic fauna, sampling methods, 603–20, 945–60
Phosphate in Tamar Estuary, 755
Phosphorus, intake and excretion by *Calanus*, 977–1001
Physiology, fish, 33–49, 51–75, 209–23, 357–425
Phytoplankton, Antarctic, 293–405
  dinoflagellate, 781–4
  fatty acids, 97–116
  pigments, 1047–56
  Phaeodactylum, 439–46
  Tamar Estuary, 749–65
Pigments, *Idotea*, 667–79
  phytoplankton, 1047–56
Pilchard, rearing larvae, 557–75
Plankton, abundance of young fish in 1966, 305–10
  eggs and larvae of *Argentina*, 798
  feeding of *Calanus*, 977–1001
  luminescence, 669–82
  ostracod ecology, 515–53
  sampling methods, 603–20
Plymouth, young fish, 305–10
  polychaetes, 311–26
Pogonophora, ultrastructure of tentacles, 717–41
Polychaeta, fauna of fine deposits, 311–26
  juvenile forms, 320–2
  Nereis fucata, 121–7
  new species for Plymouth, 322–5
  Spirorbis borealis, 141–50
Porthleven, recolonization after 'Torrey Canyon' cleaning, 1025–45
Production in Antarctic, 393–405
Pseudocalanus, laboratory breeding, 743–7
Ptychodiscus, taxonomy, 781–4

Rays, density, 913–37
Recolonization by *Nucella*, 1025–45
River flow, 753
Rhynchocoela, 17–32

Saccorhiza, morphology and environment, 1025–45
Salinity, Tamar Estuary, 755
  and silicate, 585
Sand faunas, 311–26, 1003–24
Sardina pilchardus, rearing of larvae, 557–75
Sclerocytes in *Echinus*, 861
Scrobicularia plana, feeding, 805–23
Settlement, oysters, 327–56
Sharks, density, 913–37
Silicate, analysis, 589–601
  in Irish Sea, 577–88
  in Tamar Estuary, 755
Skeletal tissues of *Echinus* spines, 857–77
SOND cruise, 1965, of 'Discovery', 489–514, 515–53, 603–20, 669–82, 961–76
Sonic scattering layers, 489–514
Spawning, *Cucumaria*, 152
  Argentina, 785–803
Spirorbis borealis, vitellogenesis and spawning, 141–50
Swimming movements of *Torpedo*, 630
Symbiosis, zooxanthellae-coelenterate, 1057–65

Temperature effect on *Calothrix*, 480
  feeding of *Scrobicularia*, 816–17
  growth of *Laminaria*, 185, 456–60
  luminescence of *Thysanoessa*, 245–58
  settlement of oysters, 330

Thorogobius, new genus, 839
Torpedo, buoyancy and swimming, 621–40
'Torrey Canyon', recolonization, 1067–92
Toxicity of oil-spill removers to *Nucella*, 1069–74

Ultrastructure of coccolithophorids, 1–16
  oocytes and glands of *Spirorbis*, 141–50
  scales of *Halosphaera*, 129–39
  spines of *Echinus*, 861, 869
  tentacles of pogonophore, 717–41
Uptake of organic nitrogen by various organisms, 701–16

Variation in *Argentina sphyraena*, 189–208
Vertical migration of ostracods, 515–53
Vitamin A aldehyde in cod, 940
Vitellogenesis in *Spirorbis*, 141–50

Water loss in *Patella*, 291–304

Zinc, absorption by *Laminaria*, 225–43
  effect on growth of *Phaeodactylum*, 439–46
Zooxanthellae, *Anemonia* symbionts, 1057–65

INDEX

GENERA AND SPECIES

Abra alba, 793, 795–6, 821
— *nitida*, 795
— *prismatica*, 799–800
Abraliopsis morrisi, 964–5, 969–972
Acartia, 979, 984, 991
— *clausi*, 978, 983, 992
— *tonsa*, 978
Achnanthes brevipes, 759, 765
Acipenser, 70
— *sturio*, 264, 269, 286
Acmaea, 292
Actinoptychus senarius, 763
Adonis aestivalis, 777
Aeolis adelaidae, 889
— *exigua*, 899
Aglantha, 1105
Aglaophamus rubella, 323
Agmenellum quadruplicatum, 98
Agonus cataphractus, 308
Alaria esculenta, 469
Alepisaurus ferox, 973
Alosa fallax, 213
Amia calva, 264, 270, 286
Ammodytes, 213, 308
Ammotrypane aulogaster, 314–16, 794, 796
Ampelisca brevicornis, 1003, 1007, 1018–22
— *macrocephala*, 799
Ampharete acutifrons, 314–16
— *grubei*, 794
Amphidinium carteri, 98
Amphiprora hyalina, 765
Amphitrite cirrata, 794, 796
Amphiura, 799
Amphorina, 905
— *alberti*, 889
Anabaena, 759, 765
— *cylindrica*, 479, 485
— *variabilis*, 98
Anacystis marina, 98
— *nidulans*, 98–9
Anaitides maculata, 315
Anapagurus hyndmanni, 126
— *laevis*, 126
Anemonia sulcata, 1057–65
Anguilla, 263
— *anguilla*, 264, 270, 286
Anisakis, 641–59
— *diomedeae*, 653
— *marina*, 654
Anisakis simplex, 653
Anisodoris stellifera, 826
Ankistrodesmus braunii, 98
Anthopleura elegantissima, 1057, 1059
Antithamnion, 470
Aora typica, 1016
Aphanopus carbo, 1113
Arbacia, 870
Archiconchoecia cucullata, 518–19, 540
Argentina elongata, 190
— *euchus*, 190
— *silus*, 204, 430
— *sphaeraena*, 189–208, 407–31, 785–803
Arctodiaptomus salinus, 774, 777
Arctonoe fragilis, 126
Arcturella dilatata, 795–6
Argissa hamatipes, 1016, 1021
Aricidea minuta, 313–19, 321–3, 1113
Arnoglossus, 308
Artemia, 77–95
— *salina*, 714
Ascaris capsularia, 657
Aspidoecia normani, 391–2
Astacilla longicornis, 795
Astasia ocellata, 777
Asterias rubens, 152
Asterionella, 765
— *japonica*, 107, 118, 759, 763, 1054
Asteromonas gracilis, 137
Astropecten irregularis, 799
Asymmetron parvum, 1106
Atylus swammerdami, 1016
Aureodinium pigmentosum, 1055
Auricula staurophora, 1054

Bacillaria paxillifer, 765
Balanus, 23, 25
— *balanoides*, 328, 1070, 1072, 1108
Bathyporeia elegans, 1003, 1009, 1017–22
— *guilliamsoniana*, 1003, 1007, 1017–21
— *nana*, 1003, 1011, 1017–22
— *pelagica*, 1009, 1021
— *pilosa*, 1022
— *tenuipes*, 1009, 1021
Beggiatoa, 765
Biddulphia, 759
— *granulata*, 763
— *mobiliensis*, 763
— *regia*, 758, 763

Biddulphia sinensis, 98, 107, 763
— *striata*, 395, 398
Bifurcaria, 1080
Blennius gattuorgine, 308, 310
— *ocellaris*, 308
— *pholis*, 308, 433–8, 1070
— *yatebei*, 563
Boleophthalmus chinensis, 845
— *pectinirostris*, 845
Breviraja pallida, 927
Brongniartella, 470
Buccinum, 122
Bucephalus, 162
Buglossidium luteum, 213, 308
Bulbochaetae, 765

Calamoichthys calabaricus, 264, 269, 286
Calanus, 306, 743, 1105, 1121
— *finmarchicus*, 799, 977–1001, 1106
— *helgolandicus*, 977–1001, 1106
— *hyperboreus*, 95, 995
Callionymus, 70, 308–10
— *lyra*, 213, 827
Calliopus laeviusculus, 1016
Calliostoma, 122
Calliteuthis reversa, 1121
Calothrix scopulorum, 475–88, 701–16
Cancer pagurus, 1070, 1072, 1090
Capellinia, 905
— *capellinii*, 903
— *conicla*, 905
— *doriae*, 880
— *exigua*, 882, 902
— *rustya*, 905
Capitellides giardi, 314–16, 319
Capros aper, 308
Capsularia marina, 653
Carcharias ferox, 921, 926
— *gangeticus*, 926
— *japonicus*, 926
— *lacerta*, 921
— *melanopteris*, 926
— *spallanzani*, 926
— *taurus*, 929
Carcharodon, 925
— *carcharias*, 926
Carcinus, 1070, 1072
— *maenas*, 1090
Cardium edule, 818, 820–21
Caryophyllia smithi, 842
Cassis sulcosa, 799
Caulleriella caput-esocis, 313–16, 318–20, 1112
Cavolina, 880
— *farrani*, 889, 892
Centrolabrus exoletus, 308
Centrophorus squamosus, 1113
Centroscymnus, 921
— *owstoni*, 922, 929
Cepaea hortensis, 261
— *nemoralis*, 261
Cepola rubescens, 308
Cephaloscyllium uter, 913–37
Ceratium, 23, 569, 573
— *furca*, 764
— *fusus*, 764
— *horridum*, 764
— *lineatum*, 764
— *longipes*, 764
— *macroceros*, 758, 764
— *tripos*, 764
Ceratocolax hartzii, 829
Ceratulina pelagica, 763
Cetorhinus, 621, 628, 927–9
— *maximus*, 913–37
Chaetoceros, 470, 569
— *affine*, 763
— *breve*, 763
— *compressum*, 763
— *curvisetum*, 763
— *danicum*, 759, 765
— *debile*, 763
— *decipiens*, 763
— *didymum*, 763
— *galvestonensis*, 98, 109
— *holsaticum*, 765
— *laciniosum*, 763
— *septentrionale*, 101–2, 107, 109, 117–18, 763
— *simplex*, 98, 100, 109, 117–18, 763
— *sociale*, 763
— *teres*, 758, 763
— *wighami*, 759, 765
Chaetozone setosa, 314–16, 319–20, 324
Chilomonas paramecium, 98
Chirolophis, 308
Chlamydomonas, 109, 111, 568, 1052
— *reinhardi*, 98
Chlamydoselache, 631, 921, 927
Chlamys opercularis, 1116
Chlorella, 442–3, 1047
— *marina*, 702–16
— *pyrenoidosa*, 98
— *salina*, 1052
Chroomonas fragarioides, 1048–50
Chrysochromulina, 1–2, 9–14
— *chiton*, 7, 9, 13
— *ericina*, 12
— *pringsheimii*, 12
Chthamalus stellatus, 1069–70, 1072, 1077, 1079, 1108–9
Ciliata mustela, 264–5, 270, 275
Ciona, 842
Cirratulus cirratus, 261, 1112

Cirriformia tentaculata, 261, 1112
Cirrophorus branchiatus, 314–16, 321–3, 1113
Cladophora rupestris, 485, 706, 710
Clupea, 928
— *harengus*, 213, 264, 275, 286, 641–59
— *sprattus*, 205, 213
Coccochloris elabens, 98
Coccolithus huxleyi, 113
— *pelagicus*, 1–16
Cocconeis scutellum, 759, 765
Conchoecia acuminata, 518–53
— *aequiseta*, 518–53
— *alata*, 518–53
— *ametra*, 518–53
— *bispinosa*, 518–53
— *brachyaskos*, 518–53
— *curta*, 518–53
— *daphoides*, 518–53
— *dorsotuberculata*, 544
— *elegans*, 518–53
— *gaussi*, 541
— *haddoni*, 518–53
— *hirsuta*, 518–53
— *hyalophyllum*, 518–53
— *imbricata*, 518–53
— *incisa*, 518–53
— *inermis*, 518–53
— *kampta*, 518–53
— *lophura*, 518–53
— *loricata*, 518–53
— *macrocheira*, 518–53
— *magna*, 518–53
— *oblonga*, 518–53
— *parthenoda*, 518–53
— *porrecta*, 518–53
— *procera*, 518–53
— *rhynchaena*, 518–53
— *rotundata*, 539
— *secernenda*, 518–53
— *skogsbergi*, 518–53
— *spinifera*, 518–53
— *spinirostris*, 518–53
— *subarcuata*, 518–52
— *teretivalvata*, 539
— *tetragona*, 531, 540
Conger conger, 213
Conocephalus, 654
Contracaecum aduncum, 641–59
— *osculatum*, 657
Corethron criophilum, 396, 759, 763
Corophium, 807
— *volutator*, 1023
Corynactis viridis, 842
Coscinodiscus, 117
— *concinnus*, 759, 763
— *excentricus*, 763
Coscinodiscus grani, 763
— *lineatus*, 763
— *oculus-iridis*, 763
— *radiatus*, 763
Coscinosira polychorda, 763
Cossura longocirrata, 314–16, 318–20, 324
Cottus, 70, 308
— *bubalis*, 213
Crangon, 90
— *allmani*, 799
— *spinosus*, 799
— *vulgaris*, 795, 797, 1071, 1073
Crassostrea angulata, 343
— *gigas*, 343
— *virginica*, 225, 328
Cratena vittatus, 898
Craterolophus convolvulus, 1112
Crenilabrus melops, 308, 1123
Crenimugil labrosus, 683–99, 1122
Cricosphaera carterae, 1–16, 112–13
— *elongata*, 104, 112–13, 990
Cryptomonas, 759–60, 765
— *appendiculata*, 108
— *maculata*, 108, 568
— *ovata palustris*, 1048
— *reticulata*, 1048–50
Crystallolithus, 1–4
— *hyalinus*, 2
Ctenolabrus rupestris, 308, 310
Ctenopteryx siculus, 964–5, 969, 972
Cucumaria echinata, 153
— *elongata*, 151–9
— *frondosa*, 158
— *hyndmanni*, 151
— *normani*, 158
— *planci*, 158
— *saxicola*, 158
Cultellus pellucidus, 799
Cumanotus, 905–6
Cyclops coronatus, 799
Cyclotella cryptica, 98
Cylindrotheca closterium, 445
Cypraea, 826

Dalatius licha, 913–37
Dasyatis pastinaca, 913–37
— *voliacea*, 929
Delessaria sanguinea, 842
Dendrodoa, 842
Dendronotus, 799
Dendryphiella salina, 702–5, 708
Diastylis, 799–800
— *laevis*, 793, 795–7
— *lucifera*, 793, 795–7
— *tumida*, 795
Diastyloides biplicata, 795
Dicentrarchus labrax, 698

Dicrateria inornata, 112–13
Dictyocha fibula, 764
Dinophysis, 759
— *acuta*, 764
— *irregularis*, 764
— *ovum*, 764
— *tripos*, 764
Diogenes pugilator, 126
Diplocirrus glaucus, 794, 796
Diplocystis antarctica, 781–4
Diplopsalis lenticula, 759, 764
Diploneis crabro, 759, 765
Discodoris pusae, 826
— *tema*, 826
Ditylum brightwelli, 107, 109, 118, 568–9, 763, 1054
Doris fasciculata, 896
— *lacinulata*, 896
— *verrucosa*, 826
Doto coronata, 828
— *fragilis*, 828
— *pinnatifida*, 828
Dulichia, 799
Dunaliella, 470
— *primolecta*, 97, 111–12, 568
— *salina*, 98
— *tertiolecta*, 97, 111–12, 702–3, 1052, 1104
Dunga, 905–6

Echinorhinus brucus, 937
Echinus esculentus, 857–77
Egalvina, 905
— *viridula*, 879–912
Eigenmannia, 46
Eledone, 1118
Elminius modestus, 328, 1071, 1073, 1107
Enteromorpha, 485, 710
— *intestinalis*, 706
Eolis amethystina, 880
— *andreapolis*, 889
— *cingulata*, 882, 896
— *exigua*, 882, 899
— *farrani*, 882, 889
— *flavescens*, 893
— *hystrix*, 896
— *minuta*, 893
— *pallida*, 882, 893
— *picta*, 893
— *robertianae*, 889
— *tricolor*, 880–2
— *violacea*, 880
— *vittata*, 882, 898
Erythrops elegans, 391–2
— *microps*, 391
— *serrata*, 391–2
Eteone longa, 314–16
Euastrum, 759, 765
Eubranchopsis, 905–6
Eubranchus adarensis, 907
— *agrius*, 906–7
— *capellinii*, 903
— *cingulatus*, 879–912
— *coniclus*, 906–7
— *doriae*, 879–912
— *exiguus*, 879–912
— *falklandicus*, 907
— *farrani*, 879–912
— *fuegiensis*, 907
— *horii*, 906–7
— *inabai*, 907
— *misakiensis*, 906–7
— *montraveli*, 907
— *occidentalis*, 906–7
— *olivaceus*, 907
— *pallidus*, 879–88
— *pictus*, 892
— *productus*, 907
— *rubeolus*, 907
— *rubropunctatus*, 906–7
— *rupium*, 879–82, 898
— *rustyus*, 906–7
— *tanzanensis*, 906–7
— *tricolor*, 879–912
Eucampia zoodiacus, 763
Euchaeta hebes, 1105
Euclymene oerstedii, 313–16, 319
Euglena gracilis, 98
Eulalia sanguinea, 794
Eunereis longissima, 314–16
Eupagurus, 1117
— *bernhardus*, 122–7
— *cuanensis*, 126
— *prideauxi*, 126
— *sculptimanus*, 126
— *variabilis*, 126
Euphausia pacifica, 995
Euprotomicrops, 925
Eurytemora affinis, 745–6
— *herdmani*, 745–6
Eustoma rotundatum, 641, 653
Evadne nordmanni, 793–4, 796–7
Exogone gemmifera, 313–20
— *hebes*, 313–22, 1113
Exuviaella baltica, 764

Filocapsularia, 653–4
Fragilariopsis, 396
Fucus serratus, 1043, 1070, 1080
— *spiralis*, 300, 706
— *vesiculosus*, 242, 1043, 1070, 1080, 1116
Fundulus kansae, 939, 943

Gadus, 70

Gadus callarias, 213–22
— *luscus*, 308
— *merlangus*, 307–10
— *minutus*, 213, 307–10
— *morhua*, 308, 447, 939–44
Galeocerdo, 925
— *arcticus*, 926
— *canicula*, 922
— *tigrinium*, 926
Galeorhinus, 70, 925
— *galeus*, 913–37
— *zygopterus*, 926, 928
Galvina cingulata, 880, 882, 896
— *exigua*, 882, 899
— *farrani*, 880, 889
— *flava*, 889
— *flavescens*, 893
— *pallida*, 882, 893
— *picta*, 882, 893
— *rupium*, 904
— *tricolor*, 880–2, 892
— *viridula*, 879–82, 886
— *vittata*, 882, 898
Galvinella, 905–7
Gammarus locusta, 1016, 1111
Gibbula, 1070
Gigartina teedii, 829
Ginglymostoma, 68
Glossanodon polli, 190
— *semifasciatus*, 43
Glycera alba, 793–4, 796
— *convoluta*, 314–16
— *rouxii*, 794, 796
Gobiosoma saucrum, 843
Gobius cobitis, 840, 844
— *ephippiatus*, 831–55
— *forsteri*, 831–55
— *friesii*, 834
— *lesueri*, 834
— *macrolepis*, 831–55
— *niger*, 832–45
— *paganellus*, 213, 833–45
— *sueri*, 834
— *thori*, 831–55
— *zebrus*, 833–55
Goneplax angulata, 799
Goniada maculata, 314–16
Gonichthys coccoi, 264, 275
Gonospora varia, 1112
Gonyaulax diegensis, 764
— *polyedra*, 98, 111
— *polygramma*, 764
— *spinifera*, 764
— *tamarensis*, 759, 765
Gordius marina, 653
Guinardia blavyana, 1102
— *flaccida*, 758, 763
Gymnarchus, 636
Gymnodinium, 470, 760
— *breve*, 98
— *pseudonoctiluca*, 764
— *splendens*, 98, 765
Gymnotus, 636
Gyrodinium aureolum, 759, 764
— *spirale*, 764

Halichoerus grypus, 657
Haliclystus auricula, 1112
Haliotis, 1113
Halocypris brevirostris, 518–19, 540
Halosphaera, 764, 1102
— *minor*, 129–36, 568
— *parkae*, 129–39
— — *minuta*, 130–5
— — *parkae*, 130–5
— *russellii*, 129–36
— *viridis*, 129–35
Hantzschia, 765
Harpinia antennaria, 1016, 1019–21
Helicocranchia pfefferi, 964–5, 969, 974
Helix pomatia, 799–800
Hemibdella soleae, 436–7
Hemiselmis, 765
— *brunescens*, 108
— *rufescens*, 108
— *virescens*, 713, 1048–50
Heptabrachia, 1110
Heptrancheus, 925
— *perlo*, 926
Hermania catena, 793, 795–6
Heterocapsa triquetra, 759, 764
Heterodontus japonicus, 927
Heteromastix longifilis, 1051–3
— *rotunda*, 111–12, 1052–3
Heteroteuthis dispar, 961, 965, 969–71
Hexanchus, 925
— *griseus*, 264, 268, 926
Himanthalia, 1080
Hippocampus, 361
Hippomedon denticulatus, 1016, 1020–1
Histioteuthis meleagroteuthis, 964–5, 969, 973
Holothuria atra, 154
Homarus, 1117
Hydra, 872
Hydrodictyon, 714
Hydroides, 1072
— *hexagonus*, 145
Hydrolagus, 631
— *affinis*, 927
Hymenomonas, 14, 713
Hyphessobrycon innesi, 264, 275, 281
Hyponarce monopterygium, 637
Hypopomus, 46

Idus idus, 264, 275
Idotea baltica, 770
— *granulosa*, 766, 774–8
— *metallica*, 766–779
— *montereyensis*, 766, 775–8
Iphinoë, 799
— *serrata*, 794
Isochrysis galbana, 112–13, 328, 744, 990
Isistius, 925
Isurus, 925

Jamoytius kerwoodi, 1106
Japetella diaphana, 961–6, 969
Jassa falcata, 1016, 1022

Katodinium rotundatum, 759–60, 765
Kirchenpaueria pinnata, 794
— — *echinulata*, 904

Labroides dimidiatus, 1123
Labrus bergylta, 308, 310
— *ossifagus*, 308
Lagis koreni, 314–16
Lamellisabella, 717, 719–20, 725, 732, 738
Laminaria, 858, 892
— *agardhii*, 468
— *cucullata*, 455–73
— *digitata*, 178, 225–43, 455–73, 1025, 1115
— *groenlandica*, 469, 1026
— *hyperborea*, 175–86, 455–73, 842–3, 854, 1025, 1043
— *longicruris*, 1026
— *saccharina*, 178, 455–73
— *sinclairii*, 1043
Lamna nasus, 913–37
Lamprops fasciata, 795
Lanice conchilega, 314–16
Lasaea rubra, 820–1
Latimeria, 70
Lauderia borealis, 107, 118, 568, 758, 763
Leander, 260
Lebetus scorpioides, 308
Lebistes reticulatus, 144, 147
Lembos intermedius, 989
Lepadogaster, 308
Lepas, 776
Lepidorhombus whiff-iagonis, 213, 447–53
Lepidosteus, 1115
Leptocylindrus, 569
— *danicus*, 763
Leptomysis gracilis, 379–89
— *lingvura*, 379–89
— *mediterranea*, 379
Lesuerigobius friesii, 831, 834, 836
Leucon nasica, 793, 795–6
Licmophora, 765
Ligia oceanica, 770
Limanda limanda, 213, 307–10
Limax minimus, 896
Limulus, 148
Lineus ruber, 17, 28, 30
Liocranchia reinhardti, 964–5, 969, 973
Liparis montagui, 308
Lithodesmium undulatum, 763
Littorina, 123
— *knysnaensis*, 302
— *littoralis*, 123, 125
— *littorea*, 1069–70, 1074
Liza aurata, 1122
— *ramada*, 1122
Loligo, 1118–19
— *forbesi*, 825
— *vulgaris*, 844
Longipedia coronata, 799
Lophius, 70, 924
— *piscatorius*, 213, 308
Lophogaster typicus, 799
Lora rufa, 795
Loxoconcha, 795
Lucernariopsis campanulata, 1112
Luidia sarsi, 1105
Lumbrineris gracilis, 794
— *latreilli*, 314–16
Lysmata seticaudata, 799

Macoma balthica, 821–2
Macrobrachium rosenbergi, 88
Macrocypridina castanea, 518–19, 540
Macrocystis, 470–1
— *pyrifera*, 1043
Magalia perarmata, 320
Magelona, 320
Magelona alleni, 313–16
— *filiformis*, 313–16, 318–19, 321
— *papillicornis*, 313–16, 319
Maia, 1120
Malacobdella grossa, 17–32
Malacoceros tetracerus, 324
Marinogammarus, 1111
Mastigoteuthis schmidti, 964–5, 969, 972
Maurolicus muelleri, 190
Megaluropus agilis, 1014, 1020–1
Megamphopus cornutus, 1016, 1020–1
Meganyctiphanes norvegica, 245–258, 793, 795–6, 797
Melinna palmata, 313–16, 318–19
Melita palmata, 1111
Melosira jurgensi, 759, 763
Menidia, 563
Meringosphaera, 764
Merluccius merluccius, 213, 308
Metopa, 799
Mobula, 927–8
— *coilotti*, 928

Mobula japonica, 928
Molva molva, 213, 308
Monochrysis, 470
— *lutheri*, 98, 104, 109, 112–13, 1103
Monodonta lineata, 1069–70, 1074
Morone labrax, 213, 308
Microcalanus pusillus, 992
Microcoleus chthonoplastes, 98
Micromonas, 1052–3
— *squamata*, 1051
Microstomus kitt, 213, 308
Muggiaea atlantica, 310, 1105
— *kochi*, 310
Mugil cephalus, 683, 687, 689–90
— *chelo*, 683
Mullus surmuletus, 308, 447–53
Musculus, 795
Mustelus, 70
— *asteria*, 913–37
Mya arenaria, 818, 820–1
Myriochele, 313–16, 318–20, 324–5, 1113
— *heeri*, 325
— *oculata*, 325
Mysella bidentata, 795–6
Mysidion commune, 391
Mysidopsis didelphys, 795
Mytilicola intestinalis, 161–73
Mytilus, 729
— *californianus*, 819
— *edulis*, 161–73, 329, 343, 661–8, 813, 818–21
Myxine, 52, 70
Myzostoma, 148

Nannochloris, 713
Nanomia bijuga, 490
Narcine brasiliensis, 625
— *japonica*, 637
Navicula distans, 759, 765
— *pelliculosa*, 98
Neanthes fucata, 121–7
Negaprion brevirostris, 926
Neogobius melanostomus, 844
Nephtys, 799
— *caeca*, 794, 796
— *cirrosa*, 314–16, 319–21
— *hombergii*, 314–16, 319–21
— *hystricis*, 323, 794, 796
Nereilinum punctatum, 721, 725, 733, 737
Nereis, 1109
— *diversicolor*, 1116
— *fucata*, 121–7
Nereocystis, 1043
Nicolea venustula, 793–4, 796–7
Nika edulis, 799
Nitzschia angularis, 98, 759, 765
— *closterium*, 98, 117, 445, 711, 758–63, 989
— *punctata*, 765
Nitzschia seriata, 763
— *sigma*, 765
— *thermalis*, 98
Noctiluca, 781
— *miliaris*, 260
— *scintillans*, 764
Nostoc, 714
Notomastus latericeus, 314–16
Nucella lapillus, 1067–92, 1116–17
Nucula, 795
Nyctiphanes couchi, 1105

Obelia geniculata, 892
Oceanobdella blennii, 433–8
Ochromonas danica, 98
— *malhamensis*, 98
Ochrosphaera, 713
Octopoteuthis danae, 1121
Odostoma, 795
Oikopleura, 795
Oithona, 569
— *similis*, 988, 992
Oligobrachia floridana, 721, 725, 729, 733, 737
Olisthodiscus, 112–14, 568
Onchidoris fusca, 826
Oncorhynchus nerka, 209, 943
Onos, 308
Ophiothrix lacertosa, 798–9
Ophryotrocha, 148
— *puerilis*, 314–16, 318–20
Oryzias latipes, 563
Oscillatoria williamsii, 98
Osmerus hebridicus, 190
Ostrea edulis, 327–56, 813, 821
— *lutaria*, 343
Owenia fusiformis, 794
Oxystele sinensis, 302

Pagellus centrodontus, 213
Palaemon serratus, 77–96
— *elegans*, 88
Palaemonetes, 260
— *pugio*, 87, 989
— *varians*, 799
Palinurus, 1117
Pandalus, 799
Paracalanus, 569
— *parvus*, 992
Paralia sulcata, 759, 765
Parapleustes latipes, 799
Parathemisto oblivia, 799
Pariambus typicus, 799
Pasiphaea sivado, 799
Patella, 1070, 1075, 1080
— *aspera*, 291–304
— *depressa*, 1109

Patella intermedia, 1110
— *vulgata*, 291, 304, 799–800, 1109–10
Pavlova, 1103
Pecten maximus, 1116
Pectinaria, 799
— *auricoma*, 794, 796
— *belgica*, 794, 796
— *koreni*, 785, 793, 796–7
Pegea confoederate, 781–2, 1102
Pelagia, 310, 1105
— *noctiluca*, 1102
Pelvetia canaliculata, 485
Penaeus duorarum, 88
Perca, 273
— *fluviatilis*, 264, 275
Peridinium, 23
— *cerasus*, 764
— *depressum*, 764
— *obtusum*, 764
— *oceanicum*, 764
— *trochoideum*, 109–11, 759, 764, 1055
Peridinopsis assymetrica, 764
Perioculodes longimanus, 1003, 1011, 1018–22
Peritrachelius, 654
Petromyzon, 52, 70
Phaeocystis pouchetii, 759, 764, 1103
Phaeodactylum, 805, 810, 816–17
— *tricornutum*, 98–9, 107, 117–19, 439–46
Phallusia, 842
Phascolion strombi, 794
Phasmatopsis oceanica, 964–5, 969, 974
Phaxas pellucidus, 795
Philine, 826
— *scabra*, 799
Philocheras bispinosus, 795, 797
Pholoë minuta, 314–16
Phrynorhombus norvegicus, 213, 308
— *regius*, 213
— *unimaculatus*, 308
Phthisica marina, 799, 1016
Phyllopora brodiaea, 829
Piscicola, 148
— *salmositica*, 437
Platichthys flesus, 213, 308
Platymonas, 744
— *chuii*, 1051
— *tetrathele*, 1051–3
Platynereis dumerilii, 126
Plectonema terebrans, 98
Pleuronectes platessa, 213–22
Pleurosigma, 759
— *angulatum*, 765
— *attenuatum*, 765
— *balticum*, 765
— *fasciola sulcatum*, 765
— *litorale*, 765
— *strigosum*, 765
Pleurosigma wansbeckii, 765
Plumaria, 470
Podalirius typicus, 1016
Podosira stelliger, 759, 765
Poecilochaetus serpens, 313–16
Polistotrema, 52
Polybrachia, 717
— *canadensis*, 1110
Polycirrus, 314–16, 319
Polykrikos schwartzii, 764
Pomatoceros, 1072
Pomatoschistus norvegicus, 793, 795–6
Pontocrates altamarinus, 799, 1005, 1016, 1019–21
— *arenarius*, 1003, 1014, 1017–21
— *norvegicus*, 1005
Porphyra, 704
— *umbilicalis*, 240–1, 706, 710
Porphyridium cruentum, 702–3
Porrocaecum, 653
Portunus, 799
— *puber*, 1070, 1072, 1090
— *pusillus*, 795, 796
Priapulus caudatus, 794
Prionace glauca, 913–37
Prorocentrum, 98, 575
— *micans*, 109–10, 568–9, 758–9, 764
Protoceratium reticulatum, 764
Protopterus aethiopicus, 264, 269
Prymnesium parvum, 2, 7, 12, 14, 104, 113
Psammechinus miliaris, 871
Pseudanisakis rotundata, 653
Pseudocalanus elongatus, 743–7, 992
Pseudomma affine, 795
Pseudopedinella, 109, 112–13, 1053–4
Pseudopolydora antennata, 314–16
Pterophyllum, 264, 270, 274–5
— *eimekei*, 264
— *scalare*, 264
Pterosperma, 1102
— *nationalis*, 764
Pterygioteuthis giardi, 961–5, 969, 972
Ptychodiscus, 781–4
— *carinatus*, 781–4
— *fimbriatus*, 781
— *inflatus*, 781–4
— *noctiluca*, 781–4
Pygospio elegans, 313–16, 319–20
Pyramimonas amylifera, 1051
Pyrgopsis pacifica, 964–5, 969, 974
Pyrocystis lunula, 764
Pyrophacus, 781
Pyroteuthis margaritifera, 961, 965, 969, 972

Raja, 46, 70, 367
— *clavata*, 213, 622, 627, 913–37
— *doutrei*, 927

Raja microocellata, 913–37
— *montagui*, 622, 913–37
— *naevus*, 75
— *nidroensis*, 927
— *radiata*, 653, 927
— *rhina*, 629
— *richardsoni*, 927
Raniceps raninus, 308
Rhincodon, 927–8
Rhonobatis polyopthalmus, 927
Rhinogobius, 845
Rhizosolenia, 443, 569, 759
— *alata alata*, 763
— *delicatula*, 763
— *robusta*, 763
— *setigera*, 763
— *shrubsolei*, 763
— *stolterfothii*, 758, 763
— *styliformis*, 758, 763
Rhodine loveni, 794
Rhodomonas, 1048–50
Rhynchobatis djeddensis, 927
Roperia tessellata, 763
Ruttnera, 1053–4

Sabella, 737
Sabellaria, 1071
— *alveolata*, 1113
— *spinulosa*, 1113
Saccorhiza dermatodea, 1043
— *polyschides*, 178, 455–73, 1025–45
Sagitta, 306, 310, 795–7, 799
— *elegans*, 1105
— *hispida*, 979, 998
— *setosa*, 1105
Salmo, 263
— *gairdneri*, 209, 220
— *trutta*, 264–5, 270, 274–5
Salpa ferruginea, 781
Sandalops, 964–5, 969, 974
Sardina pilchardus, 205, 213, 557–575
Sardinops caerulea, 561–4
Sargassum flavicans, 1053
Scaergus unicirrus, 962–5, 969
Scalibregma inflatum, 314–16, 793–4, 796–7
Scenedesmus obliquus, 98, 759, 765
— *quadricauda*, 98
Scolelepis bonnieri, 324
Scoloplos armiger, 314–16, 319–20
Scomber scombrus, 213, 264, 275, 308, 928
Scopthalmus maximus, 213, 308
— *rhombus*, 213
Scrobicularia plana, 805–23
Scyliorhinus, 625, 627–8, 631, 633
— *arcticus*, 922
— *canicula*, 33–49, 51–75, 213, 264–70, 357–425, 632, 827, 913–37
Scyliorhinus stellaris, 913–37
Scytosiphon lomentaria, 706, 710
Sebastes marinus, 264, 275
Sepia, 1118
— *officinalis*, 1121
Serranus cabrilla, 308
Siboglinum, 717
— *atlanticum*, 830, 1109
Siliqua patula, 23
Siphonobrachia ilyophora, 717–41
Siphonoectes dellavallei, 1014, 1020–1
Skeletonema costatum, 98–9, 107, 109, 117–19, 470, 569, 744, 758–60, 763, 988, 990, 1054
Socarnes erythrophthalmus, 1016 ,1022
Solea lascaris, 308
— *solea*, 213, 308
— *variegata*, 213, 308
Somniosus, 925
— *microcephalus*, 926
Sphaerodorum claparedii, 314–16, 323
— *minutum*, 314–16
Sphaeroma serratum, 799–800
Sphaerosyllis, 320
— *hystrix*, 314–19
— *tetralix*, 314–16, 318–22, 1113
Sphyrna, 925
— *zygaena*, 926
Spio filicornis, 313–16, 319
Spiochaetopterus, 737
Spiophanes bombyx, 314–16
Spirobis, 340, 1090
— *borealis*, 141–50, 328, 340, 1079
— *mörchi*, 143, 148
Spirula spirula, 961, 963–5, 967–70, 976
Spondyliosoma cantharus, 213
Spongiochloris typica, 777
Squaliolus, 925
Squalus, 56, 66, 70, 362, 621
— *acanthias*, 264, 268, 913–37
— *acutipennis*, 926
Squatina, 70, 631
— *squatina*, 913–37
— *ancylostoma*, 927
Stachybotrys atra, 702–3
Stauroneis membranacea, 764
Stegosoma varium, 927
Stenothoë marina, 799
— *monoculoides*, 1016
Stephanopyxis palmeriana, 763
Sthenelais boa, 314–16
Stichococcus, 713
— *bacillaris*, 1052
Stomachus, 654
Streptosyllis websteri, 314–16, 322
Streptotheca tamesis, 764
Strongylocentrotus lividus, 873
— *purpuratus*, 871, 873

Surirella gemma, 759, 765
— *ovata*, 765
Syllidia armata, 314–16, 319–20
Synechocystis, 702–3
Synedra ulna, 759, 765
Synelmis klatti, 322, 1113
Syracosphaera, 713
— *brandti*, 14
— *carterae*, 14, 98

Taonidium pfefferi, 964–5, 969, 974–5
Tellina prismatica, 799
— *tennis*, 806, 809, 821
Temora, 569
— *longicornis*, 799
Tergipes despectus, 892, 902–3
— *doriae*, 903
— *fustifer*, 902–3
— *lacinulatus*, 902
— *rupium*, 904
Tinca, 68
Thalassionema nitzschiodes, 764
Thalassiosira, 23, 470
— *antarctica*, 396
— *decipiens*, 759–60, 764
— *gravida*, 759, 764
— *nordenskioldii*, 764
— *rotula*, 714
— *subtilis*, 764
Thalassiothrix frauenfeldii, 764
Thalassomyces, 391
Tharyx, 320, 794
— *marioni*, 313–19, 324, 1112
Thorogobius ephippiatus, 831–55
— *macrolepis*, 831–55
Thyone briareus, 158
Thysanoessa raschi, 245–58
Thysanoteuthis rhombus, 964–5, 969, 972
Todarodes sagittatus, 964–5, 969, 972
Tomopteris, 148, 799
Torpedo, 46, 69–70
— *californica*, 634
Torpedo marmorata, 621–40, 913–37
— *narkionensis*, 637
— *nobiliana*, 621–40, 913–37, 1114
— *tokionis*, 625
— *torpedo*, 635, 637
Trachinus vipera, 308
Trachurus trachurus, 213, 308
Trapania pallida, 829
Trichodesmium erythaeum, 98
Trichothecium roseum, 702–5, 708
Tridentiger trigonocephalus, 563
Trigla, 70, 308
— *lineata*, 213
— *lucerna*, 213
Triturus, 52
Trochus varius, 799
Tularia, 905–6
Turtonia minuta, 795

Ulothrix, 485, 765
Ulva, 704
— *lactuca*, 240–1
Urophycis blennoides, 447–53
Urothoe brevicornis, 1011, 1020–1
— *elegans*, 1016, 1021

Vampyroteuthis infernalis, 1121
Venus mercenaria, 164, 814, 818
— *striatula*, 820
Virgularia mirabilis, 794, 796

Westiellopsis prolifica, 483

Xantho incisus, 1090
Xiphophorus maculatus, 264, 270–5, 281, 288

Zebrus zebrus, 839
Zeugopterus punctatus, 308
Zeus faber, 308
Zirfaea crispata, 18
Zosterisessor ophiocephalus, 844

U. of ILL. LIBRARY
MAR 3 1970
CHICAGO CIRCLE

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
Bentley House, 200 Euston Road, London, N.W. 1
American Branch: 32 East 57th Street, New York, N.Y. 10022

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Printing House, Cambridge